

Thickener	Aluminum Complex	Barium Soap	Barium Complex	Bentone (Clay)	Calcium Stearate	Calcium 12 Hydroxy	Calcium Complex	Calcium Sulfonate	Lithium Stearate	Lithium 12 Hydroxy	Lithium Complex	Polyurea	Silica Gel	Sodium Soap
Aluminum Complex	I	I	I	I	I	C	I	B	I	I	C	I	C	B
Barium Soap	I	I	I	I	I	I	B	B	B	I	B	I	C	I
Barium Complex	I	I	I	I	I	C	I	C	I	I	I	I	I	I
Bentone (Clay)	I	I	I	I	C	C	I	I	I	I	I	I	C	I
Calcium Stearate	I	I	I	C	I	C	I	C	C	B	C	I	I	I
Calcium 12 Hydroxy	C	I	C	C	C	I	B	B	C	C	C	I	I	I
Calcium Complex	I	B	I	I	I	B	I	I	I	I	C	B	I	I
Calcium Sulfonate	B	B	C	I	C	B	I	I	B	B	C	I	B	I
Lithium Stearate	I	B	I	I	C	C	I	B	I	C	C	I	C	I
Lithium 12 Hydroxy	I	I	I	I	B	C	I	B	C	I	C	I	I	I
Lithium Complex	C	B	I	I	C	C	C	C	C	C	I	I	C	I
Polyurea	I	I	I	I	I	I	B	I	I	I	I	I	I	I
Silica Gel	C	C	I	C	I	I	I	B	C	I	C	I	I	I
Sodium Soap	B	I	I	I	I	I	I	I	I	I	I	I	I	I

I=Incompatible, C=Compatible, and B=Borderline. Black cells indicate compatibility testing not performed.

This table is to be used as a reference only. Compatibility testing is the only way to verify compatibility.